

AD 2. AERODROMES**SUCM AD 2.2-1 AERODROME LOCATION INDICATOR AND NAME**

SUCM - CARMELO/Intl

SUCM 2.2-2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	<i>ARP coordinates and site at AD</i>	335758S 0581931W Runway centre
2	<i>Direction and distance from (city)</i>	8 KM NW from the city of Carmelo
3	<i>Elevation/Reference temperature</i>	11 M (36 FT) / 28°C
4	<i>Geoid undulation at AD ELEV PSN</i>	17 M
5	<i>MAG VAR/Annual change</i>	09° W(JAN 2015) / 0.17' increasing
6	<i>AD operator, address, telephone, telefax, e-mail address, AFS address, website address</i>	Dirección Nacional de Aviación Civil e Infraestructura Aeronáutica Balneario Zagarzazú Ruta 21 Telephone: 4542 9255 e-mail: operacionessuca@dinacia.gub.uy
7	<i>Types of traffic permitted (IFR/VFR)</i>	VFR
8	<i>Remarks</i>	Nil

SUCM AD 2.2-3 OPERATIONAL HOURS

1	<i>AD Operator</i>	DLY from 11:30 to 30 minutes after SS.
2	<i>Customs and immigration</i>	MON - SUN as AD Operator. MON - THU O/R
3	<i>Health and sanitation</i>	Nil
4	<i>AIS Briefing Office</i>	H24
5	<i>ATS Reporting Office (ARO)</i>	As AD Operator
6	<i>MET Briefing Office</i>	As AD Operator
7	<i>ATS</i>	☛ Nil
8	<i>Fuelling</i>	Nil
9	<i>Handling</i>	As AD Operator
10	<i>Security</i>	As AD Operator
11	<i>De-icing</i>	Nil
12	<i>Remarks</i>	Nil

SUCM AD 2.2-4 HANDLING SERVICES AND FACILITIES

1	<i>Cargo-handling facilities</i>	Nil
2	<i>Fuel/oil types</i>	Nil
3	<i>Fuelling facilities/capacity</i>	Nil
4	<i>De-icing facilities</i>	Nil
5	<i>Hangar space for visiting aircraft</i>	Nil
6	<i>Repair facilities for visiting aircraft</i>	Nil
7	<i>Remarks</i>	Nil

SUCM AD 2.2-5 PASSENGER FACILITIES

1	<i>Hotels</i>	In the city
2	<i>Restaurants</i>	In the city
3	<i>Transportation</i>	Taxis
4	<i>Medical facilities</i>	In the city
5	<i>Bank and Post Office</i>	In the city
6	<i>Tourist Office</i>	In the city
7	<i>Remarks</i>	Nil

SUCM AD 2.2-6 RESCUE AND FIRE FIGHTING SERVICES

1	<i>AD category for fire fighting</i>	☛ Manual extinguishers
2	<i>Rescue equipment</i>	Nil
3	<i>Capability for removal of disabled aircraft</i>	Nil
4	<i>Remarks</i>	

SUCM AD 2.2-7 SEASONAL AVAILABILITY - CLEARING

1	<i>Types of clearing equipment</i>	Nil
---	------------------------------------	-----

SUCM AD 2.2-8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	<i>Apron surface and strength</i>	Surface: Strength: Nil
	<i>Taxiway width, surface and strength</i>	Width: 33 M Surface: Strength:
3	<i>Altimeter checkpoint location and elevation</i>	
4	<i>VOR/INS checkpoints</i>	Nil
5	<i>Remarks</i>	Nil

SUCM AD 2.2-9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<i>Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands</i>	
2	<i>RWY and TWY markings and LGT</i>	RWY: runway edge markers, rectangular, flat 3 x 1 M white TWY: Nil
3	<i>Stop bars</i>	Nil
4	<i>Remarks</i>	Nil

SUCM AD 2.2-10 AERODROME OBSTACLES

<i>In approach/TKOF areas</i>			<i>In circling area and at AD</i>			<i>Remarks</i>
1			2			3
<i>RWY/Area affected</i>	<i>Obstacle type</i>	<i>Elevation</i>	<i>Obstacle type</i>	<i>Elevation</i>	<i>Coordinates</i>	Nil
	<i>Markings/LGT</i>	<i>Coordinates</i>	<i>Markings/LGT</i>	<i>Coordinates</i>		
a	b	c	a			

SUCM AD 2.2-11 METEOROLOGICAL INFORMATION PROVIDED

1	<i>Associated MET Office</i>	Through SUCA
2	<i>Hours of service MET Office outside hours</i>	☛ As AD Operator
3	<i>Office responsible for TAF preparation Periods of validity</i>	Through SUCA
4	<i>Trend forecast Interval of issuance</i>	Nil
5	<i>Briefing/consultation provided</i>	O/R
6	<i>Flight documentation Language(s) used</i>	Nil
7	<i>Charts and other information available for briefing or consultation</i>	O/R
8	<i>Supplementary equipment available for providing information</i>	Nil
9	<i>ATS units provided with information</i>	Through SUCA TWR
10	<i>Additional information (limitation of service, etc.)</i>	Nil

SUCM AD 2.2-12 RUNWAY PHYSICAL CHARACTERISTICS

<i>Designations RWY NR</i>	<i>TRUE BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCN) and surface of RWY and SWY</i>	<i>THR coordinates. RWY end coordinates. THR geoid undulation</i>	<i>THR elevation and highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6
17	☛161°	1 060 x 28	Grass	335741.27S 0581937.52W ☛335741.27S ☛0581937.52W ☛GUND 16.5 M	THR 11 M/36 FT
35	☛341°	1 060 x 28	Grass	335814.15S 0581925.29W ☛335814.15S ☛0581925.29W ☛GUND 16.5 M	THR 10 M/33 FT
<i>Slope of RWY-SWY</i>	<i>SWY dimensions (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
Nil	Nil	Nil	1180 x 80	Nil	Nil
Nil	Nil	Nil	1180 x 80	Nil	Nil

SUCM AD 2.2-13 DECLARED DISTANCES

<i>RWY Designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
17	1060	1060	1060	1060	Nil
35	1060	1060	1060	1060	Nil

SUCM AD 2.2-14 APPROACH AND RUNWAY LIGHTING

<i>RWY Desig- nator</i>	<i>APCH LGT type LEN INTST</i>	<i>THR LGT colour WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Centre Line LGT Length, spacing, colour, INTST</i>	<i>RWY edge LGT LEN, spacing colour INTST</i>	<i>RWY End LGT colour WBAR</i>	<i>SWY LGT LEN (M) colour</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
17	Nil		Nil		Nil	Nil	Nil	Nil	Nil
35	Nil		Nil		Nil	Nil	Nil	Nil	Nil

SUCM AD 2.2-15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	<i>ABN/IBN location, characteristics and hours of operation</i>	ABN: Nil / IBN: Nil
2	<i>LDI location and LGT Anemometer location and LGT</i>	LDI: Nil Anemometer: Nil
3	<i>TWY edge and centre line lighting</i>	Edge: NIL Centre: Nil
4	<i>Secondary power supply/switch-over time</i>	Nil
5	<i>Remarks</i>	Nil

SUCM AD 2.2-16 HELICOPTER LANDING AREA

1	<i>Coordinates TLOF or THR of FATO</i>	Nil
2	<i>TLOF and/or FATO elevation M/FT</i>	Nil
3	<i>TLOF and FATO area dimensions, surface, strength, marking</i>	Nil
4	<i>True and MAG BRG FATO</i>	Nil
5	<i>Declared distance available</i>	Nil
6	<i>APP and FATO lighting</i>	Nil
7	<i>Remarks</i>	Nil

SUCM AD 2.2-17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	Carmelo FIZ Arc of 10 NM (18.5 KM) centred at 335758S/0581931W, limited by Montevideo FIR
2	<i>Vertical limits</i>	SFC up to FL 055
3	<i>Airspace classification</i>	G
4	<i>ATS unit call sign Language(s)</i>	Carmelo Aerodrome Information Spanish
5	<i>Transition altitude</i>	900 M
6	<i>Remarks</i>	Nil

SUCM AD 2.2-18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
AFIS	☛ Carmelo Aerodrome Information	122.1 MHZ	As AD	

SUCM AD 2.2-19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, MAG VAR, Type of supported OP (for VOR/ILS/MLS, give declination)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Position of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
Nil	Nil	Nil	Nil	Nil	Nil	

SUCM AD 2.2-24 CHARTS RELATED TO AN AERODROME

Aerodrome/Heliport Chart – ICAO	AD 2.2-11
• Visual Approach Chart – ICAO	AD 2.2-13

**INTENTIONALLY
LEFT BLANK**

AERODROME/HELIPORT
CHART - ICAO

33°57'58"S
058°19'31"W
ELEV 11
(36)

AFIS 122.1
APRON 000.0


CARMELO/Intl

RWY	DIRECTION	THR	GUND	BEARING STRENGTH
17	169°	33°57'41.27"S 58°19'37.52"W	16.5 M	No data
35	349°	33°58'14.15"S 58°19'25.29"W	16.5 M	

VAR 9° W - 2015
ANNUAL RATE
OF CHANGE 10" W

ELEVATIONS IN METRES (AND FEET)
DIMENSIONS IN METRES
BEARINGS ARE MAGNETIC

TAXIWAYS 33 WIDE



Change:
VAR, GUND included.

MARKING AIDS RWY 17/35 AND EXIT TWY

Nil

LIGHTING AIDS RWY 17/35 AND EXIT TWY

Nil


**INTENTIONALLY
LEFT BLANK**

VISUAL
APPROACH
CHART - ICAO

AERODROME ELEV **36 FT**
HEIGHTS RELATED TO
AD ELEV

ACC 128.5 - 126.3
AFIS 122.1

CARMELO / Intl



Change:
New chart.

**INTENTIONALLY
LEFT BLANK**